

2027 Island Packet 359 Standard Equipment List

Hull, Deck, and Interior Fiberglass

- Solid laminate (no core) hull with integrally molded keel for strength and seakeeping. Lead ballast is internally installed and encapsulated.
- Divinycell cored laminate deck with molded anti-skid and bonded fiberglass interior headliner.
- Structural interior hull grid.
- Traditional Gelcoat: Ivory hull, ivory deck with camel tan molded non-skid for low glare, headliner in ivory or camel tan.
- Optional Gelcoat: Graystone hull sides, off white deck with Graystone molded non-skid, interior headliner in off-white or Graystone.

Cockpit and Deck

- Integrated 4-step pocket style SS transom pool-style boarding ladder with handholds on swim steps for boarding from water.
- 1X19 316 SS non-coated lifelines and stern gates.
- Stanchions, stern rails and bow rail with Aquasteel composite backing along entire deck coaming.
- SS pool-style handrails on transom for boarding and as dinghy transom standoffs
- Large cockpit with lockable storage bins, propane storage (2x10 lb. tanks) and large locker access.
- Full bow rail and 30" cockpit stern rails with integrated seats and flagpole mount with SS flagpole and USA flag; bow and stern LED navigation lights.
- Hard 1" SS top rail from stern rails to side boarding gate stanchions, single lifelines at side boarding gates.
- Full-length, oval SS handrails along cabin top.
- (4) Large 12" SS bow/stern cleats and chocks with chafe guards, (2) large 12" SS spring line cleats with chafe guards per side, one 12" center transom cleat for pulling dinghy when needed.
- (11) SS opening ports with screens (self-draining with friction hinges and chrome knobs).
- (6) Lewmar Ocean Series hatches with shades and screens.
- (2) 9" high SS and red interior color dorade vents with line guards.
- (6) exterior, (5) interior hull side, non-opening ports. Can be built without hull side ports if preferred.
- Integrated sea hood with Starboard trim. Teak option available.
- Sandshade or gray Starboard cockpit table with fold out leaves. Teak option available.
- Sandshade or gray Starboard cockpit drink holder mounted on pedestal. Teak option available.
- Sandshade or gray Starboard hatch boards.
- Large pedestal with guard and IP logo on compass, Edson 32" SS wheel and (2) USB outlets.
- Blue LED cockpit, transom steps and stanchion gate safety lighting (dimmable at helm control).
- Stainless Island Packet step plates on side boarding gates.
- Hot and cold freshwater retractable shower for cockpit and swim step.
- Raw water wash-down on bow.
- Lofrans' Kobra 24-volt anchor windlass with controls at helm and on bow deck.
- (2) SS Mantus bow anchor rollers with adjustable top roller and lower shaft support.

Rigging, Sails, Furling and Deck Hardware

- Solent style rig:
 - Line operated in-mast furling main with 6:1 traveler system
 - Line operated 95% self-tacking furling jib with track forward of the mast
 - Line operated 170% furling Reacher with adjustable sheet leads on track by cockpit
- Single line main and jib sheeting and dual line reacher sheeting all lead to port and starboard primary cockpit winches.
- Selden Anodized Aluminum Mast with Antal halyard tensioning system. Anodized boom, solid boom vang w/control line led to cockpit.
- Standing rigging includes (10) stays total in standard Solent rig.
- Running Rigging: Low stretch main, jib, Reacher, and spinnaker halyards. Topping lift/spare main halyard. Boom vang control line, 6 to 1 main traveler line, sheet and furling lines for main, jib and reacher.
- LED mast spreader down and up lights, port and starboard flag halyards.
- Pre-wired only for Selden electric headsail and synchronized main sail system allowing for future installation of 3-speed electric cabin top winch, internal mast furling motor and headsail furling motors.
- Selden Furlex headsail line furlers for jib and reacher.
- Quantum crosscut Dacron main and 95% jib sails with choice of Sunbrella UV, Fusion 170% reacher sail with white UV protection.
- All Harken deck hardware and main sheet traveler with six to 6 to 1 purchase.
- (2) Harken size 35 2-speed cabin top winches (starboard cabin top winch deleted with Selden Synchronized main sail system).
- (2) Harken size 46 2-speed primary winches.
- (1) Harken size 35 2-speed furling line winch for reacher (deleted with Selden electric head sail Furler).
- Spinlock cabin top line stoppers and main/jib sheet stoppers

Interior

- Integrated solid wood entry steps on engine access door with gas shocks to hold up after opening.
- Easy access to engine from front, side, and rear opening compartments with light.
- Lighting in bilge compartments where needed.
- Numerous S/S overhead and bulkhead mounted handholds.
- Corian countertops in galley and head (color options available).
- Overhead, under galley counter and under gunnel LED rope lighting on dimmers.
- Customizable starboard side layout in salon.
- All 120 volt, non GFI outlets in salon, forward stateroom and aft stateroom include integral USB-A OR USB-C outlets.
- Seagull freshwater filter with outlet at galley and faucet cold-water side in head.
- Lights in many lockers with sensors that come on when door is opened. Soft close hinges.
- Cherry, Light Maple or Sapele interior wood with (4) coats of satin varnish (water based).
- Solid wood louvered doors with soft close adjustable hinges for ventilation for all cabin and cabinet doors.
- Solid wood Dovetail drawers with soft close drawer slides.
- Pre-wired for fans.

Forward Stateroom

- Queen with under berth storage, extra port side shelve/Starboard hanging locker and seat
- Large side cedar-lined hanging locker with automatic light when door is opened.
- Solid Sapele and Light Maple sole or Light Maple and Cherry sole.
- Abundant lighting throughout.
- Pillow top, tall coil 7 1/2" inner spring mattress.

Head

- Raritan Elegance electric fresh and raw water flush macerating toilet with 30 US gallon gravity empty holding tank.
- Raritan 10-year odor free sanitation hose.
- Stand up shower and sitting bench.
- Bi-fold shower door with waves and Logo pattern.
- Corian counter with frosted or white vessel, or under mount Corian or SS sink.
- Vanity cabinet storage with mirror above sink and trash bin.
- Cold water at sink is also filtered with Seagull water filter.
- Scandvik faucet.

Main Salon and Galley

- Full settee to port with slide out to convert to full berth.
- Under and behind settee storage.
- Large bulkhead mounted single leaf IP foldable salon table with glass and bottle storage behind.
- Seagull filtered water faucet at galley sink.
- Solid Sapele and Light Maple varnished sole.
- Dickinson Caribbean 2 -burner gimbaled propane stove/oven with Sapele/Maple or Cherry/Maple stove cover. Induction cooking is an option.
- Vitrifrig DW-100 3.3 cubic feet refrigerator, single drawer unit.
- 1.3 cubic ft top loading freezer box
- Dish storage and utensil drawers.
- Under counter storage for dry goods.
- Multiple Corian choices for counters including back splash and fiddles.
- Seamless Corian or under mount SS galley sink.
- Corian sink cutting board (stows in cabinet below sink).
- Trash bin under sink.
- Microwave (can be deleted for optional storage cabinet).
- Under counter dimmable lighting.

Aft Stateroom

- Large double berth with pillow top, inner spring mattress.
- Numerous under berth storage compartments.
- LED lights on dimmer.
- Hanging locker with light and drain for foul weather gear
- Smaller shelf locker
- Storage along hull sides and center line mechanical space

Auxiliary Power, Mechanical and Tankage

- Yanmar 45hp common rail/smart diesel engine.
- Yanmar YD42 Multi-Function Color Display Engine Panel.
- Switchable Dual Racor fuel filters/water sensor and electric primer pump. Located aft of engine in mechanical space.
- Isotherm SS 8-gallon water heater that can operate from 120-volt power (shore power or inverter) or by running the engine.
- Composite shaft log and rudder tube.
- Dripless shaft and rudder logs.
- 53 US gallon aluminum diesel fuel tank, constructed from 0.125" thick 5052 aluminum alloy
- Poly water and holding tanks- 100/30 US gallons.

Electrical Systems

- 24-volt house battery system, 24-volt forward battery system, 12-volt engine battery system.
- (2) 24-volt lithium house batteries, 200 AH each. 400 AH total in 24V equals 800 AH in 12V.
- (1) 12-volt Lifeline AGM dedicated engine start battery, charged from house battery bank via a Victron Orion DC to DC charger.
- (2) 12-volt Lifeline GPL-31XT AGM batteries wired in series dedicated to power the 24-volt windlass and optional bow thruster, charged from house battery bank via a Victron Orion DC to DC charger
- (1) 30-amp Smartplug shore power inlet with 50' cord with ProSafe Galvanic Isolator.
- Networked Victron AC and DC electrical system.
 - Victron Lynx Battery Management System
 - Victron Quattro 5000-watt max inverter/120 amp - 24-volt battery charger
 - Balmar XT 24 volt/90-amp Engine Alternator controlled by Wakespeed
 - WS500 regulator
 - Victron Cerbo GX with Touch 70 display/interface touchscreen
 - Receives information from battery management system, charger/inverter, alternator regulator, and optional solar charge controller for display on touch screen
 - Receives information from Fuel, Holding and Fresh Water Tank level sensors for display on touch screen
 - Allows for remote monitoring of the electrical systems when connected to an internet source via the Victron Remote Manager (VRM)

Quality, Craftsmanship and Superior Materials

- Customized IPY Owner's Manual specific to YOUR hull number with memory stick loaded with equipment manuals.
- Coosa composite board in place of marine plywood.
- Aqua-Steel and G-10 backing plates versus aluminum.
- Aqua-plus composite instead of plywood around port lights.
- Forespar Marelon seacock (with freshwater flush fitting) below waterline, engine, toilets, wash down and HVAC units.
- Best Hydra shield color retention gelcoat.
- Quad and Tri-axial fiberglass cloth, high quality vinyl ester resins.
- Solid wood soles, doors, drawers, and trim, locking sole drop boards.
- (4) coats satin varnish on interior wood (water based).
- Dovetail drawer construction, Cedar-lined hanging lockers with automatic lighting upon opening.
- Divinycell coring on deck, core-mat on headliner and IGU.
- Premium marine grade water hoses and marine grade tinned wiring.
- Raritan 10-year odor guarantee sanitation hose.
- Scandvik sink and shower faucets.
- Belt and suspender bonded chainplates made with 316L annealed stainless steel alloy.
- Vacuum bagged resin infused balanced rudder construction.
- Edson rack and pinion steering system with stainless steel emergency tiller and rudder stops.

**Standard Equipment Included at \$449,000 Base Price
Effective 01/01/2026 through 06/30/26.**

**All measurements and specifications are approximate and may vary at the time of manufacturing.
Factory Options list is available upon request.**